## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

|  | and the security of the second |                   |  |  |
|--|--|-------------------|--|--|
| Date of filing in State Engineer's Office SEP 2 0 1988 |  |                   |  |  |
| Retu   | eturned to applicant for correction  |                   |  |  |
| Corr   | orrected application filed   | 52522             |  |  |
|  | The applicant City of North Las Vegas  |                   |  |  |
|  | The approximation of the second of the secon |                   |  |  |
| •••••  | P.O. Box 4086 of North Las Vegas, Street and No. or P.O. Box No. City or Town  |                   |  |  |
| <u></u>  | Nevada 89030 hereby make application for permission to cha   |                   |  |  |
|  | Point of Diversion and Place of Use of a Portion   |                   |  |  |
| of w   | Point of diversion, manner of use, and/or place of use  Permit Number 13366-Certificate Number 4429  (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of D  | ecree and         |  |  |
| identi   | entify right in Decree.) where the second se |                   |  |  |
|  |  |                   |  |  |
|  |  |                   |  |  |
|  |  |                   |  |  |
| 1.   | 1. The source of water is Las Vegas Artesian Basin (Underground)  Name of stream, lake, underground spring or other source.  | ••••••            |  |  |
| 2.   | 2. The amount of water to be changed 0.250 CFS Not to exceed 25.00 MG annually   |                   |  |  |
| _  | Second feet, acre feet. One second foot equals 448.83 gallons per minute.  |                   |  |  |
| 3.   | Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.   |                   |  |  |
| 4.   | Irrigation, power, mining, industrial, etc. If for stock state number and kind of anim   |                   |  |  |
| 5.   | The water is to be diverted at the following point SW2 SE2 Section 15, T.20 S., R. 61 E., M  |                   |  |  |
|  | Describe as being within a 40-acre subdivision of public survey and by course a & M. or at a point from which the South Quarter corner of said Section 15 bear   |                   |  |  |
|  | distance to a section corner, If on unsurveyed land, it should be stated. S. 15° 18'06" W. a distance of 749.20 feet.  |                   |  |  |
|  |  |                   |  |  |
| 6.   | 6. The existing permitted point of diversion is located within NE 2 SE 3 Section 22, T. 20 R. 61 E   |                   |  |  |
|  | M.D.B. & M. or at a point from which the East Quarter corner of said Section   |                   |  |  |
|  | 22 bears N.18° 26' 50" E. a distance of 1,302.8 feet.  |                   |  |  |
| 7  | 7. Proposed place of use See Attached Sheet  |                   |  |  |
| /.   | Describe by regal subdivisions, it for impactor state of a subdivision by  | d.                |  |  |
|  | ·  |                   |  |  |
|  |  |                   |  |  |
| 8.   | 8. Existing place of use See Attached Sheet  Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of the state of t | use and/or        |  |  |
|  |  |                   |  |  |
|  | manner of use of irrigation permit, describe acreage to be removed from irrigation.  |                   |  |  |
| Q  | 9. Use will be from January 1 to December 31 of ea   |                   |  |  |
|  | Month and Day  Month and Day  Month and Day  O. Use was permitted from January 1 to December 31 of ea  |                   |  |  |
| 10.  | Month and Day  |                   |  |  |
| 11.  | • • •  |                   |  |  |
|  | specifications of your diversion or storage works.). 300 Feet of 8" pump and 60 H.P. motor  State manner in which water is to be diverted, i.e. diversion structure.   | with re, ditches, |  |  |
|  | miscellaneous sized pipes to points of use.  |                   |  |  |
| 12.  | pipes and flumes, or drilled well, etc.  2. Estimated cost of works  |                   |  |  |
|  | Estimated time required to construct works   |                   |  |  |
| 13.  | 3. Estimated time required to construct works  |                   |  |  |


| 14.   | Estimated time required to complete the application of water to beneficial use. One   | 1) Year  |
|---|---|--|
| 15.   | Remarks: For use other than irrigation or stock watering, state number and type of units consumptive use.   | to be served or annual   |
|   | To serve approximately 17,000 municipal services within the Ci  | ty of North Las  |
|   | Vegas Service District.   |  |
|   |   |  |
|   | s/ Gary W. Holler<br>By Gary W. Holler, P.  |  |
| Соп   | P.O. Box 4086  pared pm/ kh bp/se North Las Vegas, N  | 1V 89030   |
|   | rested  |  |
|   |   |  |
|   | APPROVALOF STATE ENGINEER   |  |
| will<br>2-i<br>dis<br>of<br>use<br>well<br>sou<br>534<br>at | see, Certificate 4429 and with the understanding that no other richled affected by the change proposed herein. The well shall hinch opening and a totalizing meter must be installed and scharge pipeline near the point of diversion and accurate measures water placed to beneficial use. The totalizing meter must be installed and the water begins or before the proof of completion of work is flowing, a valve must be installed and maintained to proceed is located within an area designated by the State Engine 1.030. The State retains the right to regulate the use of the water any and all times.  This Permit does not extend the permittee the right of ingular, private or corporate lands.  The issuance of this permit does not waive the requiremental der obtain other permits from State, Federal and local agencies. | be equipped with a maintained in the ments must be kept stalled before any is filed. If the event waste. This er pursuant to NRS ter herein granted ress and egress on |
|   | amount of water to be changed shall be limited to the amount which can be applied to 1  | -  |
|   | cubic feet per second, but not to   |  |
|   | k must be prosecuted with reasonable diligence and be completed on or before  |  |
|   | of of completion of work shall be filed before.   |  |
|   | lication of water to beneficial use shall be made on or before  |  |
|   | of of the application of water to beneficial use shall be filed on or before  |  |
| Мар   | in support of proof of beneficial use shall be filed on or before   | N/A  |
|   | pletion of work filed AUG 2 0 1992 IN TESTIMONY WHEREOF, I.R. MICHAEL State Engineer of Nevada, have hereunto set   | · · · · · · · · · · · · · · · · · · ·  |
|   | f of beneficial use filed my office, this 24th day of   | July ,   |
| •   | A.D. 19.90  | ,  |
| Certi   | ficate No   | par PPL  |
| -   |   | U State Engineer   |
| Abr   | ogated by: 60953 0.250 cfs CUT 1012 00  |  |

That portion of Township 20 South, Range 61 East, M.D.M., more particularly described as follows:

Beginning at the West Quarter Corner (W 1/4) of Section 25, Township 20 South, Range 61 East, M.D.M.; thence proceeding North along the West section line of Sections 25, 24 approximately 1.75 miles to the South Sixteenth Corner (S 1/16) of Section 13; thence West along the sixteenth line approximately 0.25 miles to the Southeast Sixteenth Corner (SE 1/16); thence North along the sixteenth line approximately 0.25 miles to the East Sixteenth Corner (E 1/16) on the East-West center section line; thence North 89049'31" East along the center section line 1,108.20 feet to a point; thence North 18038'30" West a distance of 1,183.51 feet to a point on the centerline of U.S. Highway 91; thence South 54006'00" West along the centerline of said highway a distance of 485.58 feet to the intersection of the North-South sixty-fourth line; thence North 0°27'17" West along said sixtyfourth line a distance of 477.88 feet to the Sixty-Fourth Quarter (1/64) corner; thence North 89055'50" East along the sixty-fourth line a distance of 318.58 feet to the Sixty-Fourth Corner (1/64); thence North 0°27'20" West along the sixty-fourth line a distance of 657.26 feet to the Northeast-Northeast Sixty-Fourth Corner (NE-NE 1/64); thence South 89056'37" West along the sixty-fourth line a distance of 1,337.72 feet to the Northwest-Northwest Sixty-Fourth Corner (NW-NW 1/64); thence South 0045'46" East along the sixty-fourth line a distance of 658.82 feet to the Sixty-Fourth Corner (1/64); thence South 89055'50" West along the sixteenth line a distance of 667.65 feet to the North Sixteenth Corner (N 1/16) on the North-South center section line; thence North along said center section line approximately 0.25 miles to the North Quarter Corner (N 1/4) of said Section 13; thence West along the North section line of Section 13 and 14 approximately 0.98 miles to the intersection of the East right-of-way line of Union Pacific Railroad (100.00 feet width); thence Southwest along the East right-of-way line of Union Pacific Railroad approximately 300.00 feet to the intersection of the North-South center section line of Section 14; thence South along said center section line approximately 0.72 miles to the South Sixteenth Corner (S 1/16); thence West along the sixteenth

the Southwest Sixteenth Corner (SW 1/16); thence South along the sixteenth line approximately 0.25 miles to the West Sixteenth Corner (W 1/16) between Sections 14 and 23; thence West along the South section line of Section 14 and 15 approximately 0.33 miles to the intersection of the East right-of-way line of Union Pacific Railroad; thence Southwest along the East right-of-way line of Union Pacific Railroad approximately 0.30 miles to the intersection of the East-West North sixteenth line of Section 22; thence West along the sixteenth line approximately 0.265 miles to the North Sixteenth Corner (N 1/16) on the North-South center section line of Section 22; thence South along the center section line approximately 0.75 miles to the South Quarter Corner (S 1/4) of Section 22; thence East along the South section lines of Sections 22, 23 and 24 approximately 2.00 miles to the South Quarter Corner (S 1/4) of Section 24; thence North along the center section line approximately 0.50 miles to the Center Section Corner (C 1/4) of Section 24; thence East along the East-West center section line approximately 0.25 miles to the East Sixteenth Corner (E 1/16); thence South along the sixteenth line approximately .50 miles to the East Sixteenth Corner (E 1/16) between Sections 24 and 25; thence West along the South section line of Section 24 approximately .25 miles to the North Quarter Corner (N 1/4) of Section 25; thence South along the North-South center section line of Section 25 approximately .50 miles to the Center Section Corner (C 1/4) of Section 25 and the TRUE POINT OF

BEGINNING.



PROPOSED PLACE OF USE:

All of Sections 1, 2, 3, 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, 22, 23, 24, 25, 26, and 36; those portions of Sections 6, 7, 8, 17, 21, 27, 28, 34, and 35 lying East of U.S. Highway 95; all in Township 19 South, Range 60 East, M.D.B. & M.

All of Sections 1 through 36; all in Township 19 South, Range 61 East, M.D.B. & M.

All of Sections 6 and 7; the East one-half ( $E_2$ ) of Section 12; all of Sections 13, 14, and 15; all of Sections 18 through 36; all in Township 19 South, Range 62 East, M.D.B. & M.

All of Sections 1 through 28 and Sections 33 through 36; all in Township 20 South, Range 62 East, M.D.B. & M.

All of Sections 1 through 17 and all of Sections 21 through 24, those portions of Sections 18, 19, and 20, lying East of U.S. Highway 95; the NW\(\frac{1}{4}\) NE\(\frac{1}{4}\) of Section 26; all in Township 20 South, Range 61 East, M.D.B. & M.

All those portions of Sections 1, 2, 12, and 13 lying East of U.S. Highway 95; all in Township 20 South, Range 60 East, M.D.B. & M.

